

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	((("6711698") or ("6587884"))).PN.	US-PGPUB; USPAT	OR	OFF	2007/11/09 08:39
S2	258	(@AD<"20040107" or @RLAD<"20040107") and MODBUS and (TCP/IP or TCP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:06
S3	12	S2 and CRC and ((time or timing) adj stamp or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 09:09
S4	4	US-6061603-\$.DID. OR US-6282454-\$.DID. OR US-6327511-\$.DID. OR US-6151625-\$.DID.	US-PGPUB; USPAT	OR	ON	2007/11/09 09:09
S5	0	(S1 or S4) and CRC and ((time or timing) adj stamp or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 09:09
S6	0	S2 and CRC-32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 09:17
S7	740	CRC-32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 09:17
S8	607	(@AD<"20040107" or @RLAD<"20040107") and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 09:17
S9	12	(@AD<"20040107" or @RLAD<"20040107") and timestamp\$3 same CRC same (TCP/IP or TCP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:25
S10	0	(@AD<"20040107" or @RLAD<"20040107") and timestamp\$3 same CRC-32 same (TCP/IP or TCP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 09:18

EAST Search History

S11	0	S9 and MODBUS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 09:20
S12	54	(@AD<"20040107" or @RLAD<"20040107") and (timestamp or time adj stamp) adj (qualifier or checker or check) and (TCP/IP or TCP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:15
S13	0	(@AD<"20040107" or @RLAD<"20040107") and (timestamp or time adj stamp) adj (qualifier or checker or check) same (TCP/IP or TCP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:18
S14	0	S12 and "timestamp qualifier"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:14
S15	0	S12 and timestamp adj qualifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:14
S16	0	S12 and time adj stamp adj qualifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:15
S17	0	(@AD<"20040107" or @RLAD<"20040107") and (timestamp or time adj stamp) adj (qualifier or checker) same (TCP/IP or TCP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:23
S18	14	(@AD<"20040107" or @RLAD<"20040107") and RFC adj "2030" and (UTC or (universal adj time adj coordinated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:24
S19	0	S12 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:24
S20	13	S18 and timestamp\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:26

EAST Search History

S21	0	S18 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:25
S22	12	S18 and ((time adj stamp\$3) or timestamp\$3) and (TCP or TCP/IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:27